

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878

ULTRASOL® ACTIVE

Version	Revision Date:	SDS Number:	Date of last issue: 06.05.2026
2.1	29.07.2026	100000000406	Date of first issue: 11.02.2026
			Country / Language : DE / EN

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name : ULTRASOL® ACTIVE

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-
stance/Mixture : Instrument disinfection for invasive medical devices

1.3 Details of the supplier of the safety data sheet

Company : Dr. Schumacher GmbH
Am Roggenfeld 3
34323 Malsfeld

Telephone : +49 566494960

Telefax : +49 56648444

E-mail address of person
responsible for the SDS : sds.sap-ehs@schumacher-online.com

1.4 Emergency telephone number

INTERNATIONAL: +49 - (0) 6132 - 84463, GBK GmbH (24h - 7d/w - 365d/a)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Oxidizing solids, Category 2

H272: May intensify fire; oxidizer.

Serious eye damage, Category 1

H318: Causes serious eye damage.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878

Dr.
Schumacher

ULTRASOL® ACTIVE

Version	Revision Date:	SDS Number:	Date of last issue: 06.05.2026
2.1	29.07.2026	100000000406	Date of first issue: 11.02.2026
			Country / Language : DE / EN

Signal word : Danger

Hazard statements : H272 May intensify fire; oxidizer.
H318 Causes serious eye damage.

Precautionary statements : **Prevention:**
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P221 Take any precaution to avoid mixing with combustibles.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of water.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308 + P313 IF exposed or concerned: Get medical advice/ attention.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Hazardous components which must be listed on the label:

disodium carbonate, compound with hydrogen peroxide (2:3)

Reduced Labelling (<= 125 ml)

Hazard pictograms :



Signal word : Danger

Hazard statements : H318 Causes serious eye damage.

Precautionary statements : **Prevention:**
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878

Dr.
Schumacher

ULTRASOL® ACTIVE

Version	Revision Date:	SDS Number:	Date of last issue: 06.05.2026
2.1	29.07.2026	100000000406	Date of first issue: 11.02.2026
			Country / Language : DE / EN

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature : Mixture

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
disodium carbonate, compound with hydrogen peroxide (2:3)	15630-89-4 239-707-6 01-2119457268-30	Ox. Sol. 2; H272 Acute Tox. 4; H302 Eye Dam. 1; H318	>= 30 - < 50
citric acid	77-92-9 201-069-1 607-750-00-3 01-2119457026-42	Eye Irrit. 2; H319 STOT SE 3; H335 (Respiratory Tract)	>= 1 - < 10
Alcohols, C16-18, ethoxylated	68439-49-6 939-518-5500-212-8 01-2119977094-30	Eye Irrit. 2; H319 Acute toxicity estimate Acute oral toxicity: 1.260 mg/kg	>= 1 - < 10
sodium carbonate	497-19-8 207-838-8 011-005-00-2 01-2119485498-19	Eye Irrit. 2; H319	>= 1 - < 10

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878

ULTRASOL® ACTIVE

Version	Revision Date:	SDS Number:	Date of last issue: 06.05.2026
2.1	29.07.2026	100000000406	Date of first issue: 11.02.2026
			Country / Language : DE / EN

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

- | | | |
|-------------------------|---|---|
| General advice | : | Take off immediately all contaminated clothing.
If you feel unwell, seek medical advice (show the label where possible). |
| If inhaled | : | Move to fresh air in case of accidental inhalation of dust or fumes from overheating or combustion.
If symptoms persist, call a physician. |
| In case of skin contact | : | In case of contact, immediately flush skin with plenty of water.
If skin irritation persists, call a physician. |
| In case of eye contact | : | Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
If eye irritation persists, consult a specialist. |
| If swallowed | : | Clean mouth with water and drink afterwards plenty of water.
DO NOT induce vomiting unless directed to do so by a physician or poison control center.
Obtain medical attention. |

4.2 Most important symptoms and effects, both acute and delayed

- | | | |
|-------|---|---|
| Risks | : | Causes serious eye damage.
Risk of product entering the lungs on vomiting after ingestion. |
|-------|---|---|

4.3 Indication of any immediate medical attention and special treatment needed

- | | | |
|-----------|---|------------------------|
| Treatment | : | Treat symptomatically. |
|-----------|---|------------------------|

SECTION 5: Firefighting measures

5.1 Extinguishing media

- | | | |
|------------------------------|---|--|
| Suitable extinguishing media | : | The product itself does not burn.
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Foam
Carbon dioxide (CO ₂)
Dry chemical
Water spray jet |
|------------------------------|---|--|

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878

ULTRASOL® ACTIVE

Version	Revision Date:	SDS Number:	Date of last issue: 06.05.2026
2.1	29.07.2026	100000000406	Date of first issue: 11.02.2026
			Country / Language : DE / EN

Unsuitable extinguishing media : High volume water jet

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products : Carbon oxides

5.3 Advice for firefighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.
Use personal protective equipment.

Further information : Use water spray to cool unopened containers.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Ensure adequate ventilation.
Avoid dust formation.
Sweep up to prevent slipping hazard.

6.2 Environmental precautions

Environmental precautions : Should not be released into the environment.
Prevent product from entering drains.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Pick up and arrange disposal without creating dust.
Sweep up and shovel into suitable containers for disposal.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Use only with adequate ventilation.
Avoid breathing dust.
Avoid contact with skin and eyes.

Advice on protection against fire and explosion : Avoid dust formation. Provide appropriate exhaust ventilation at places where dust is formed. Normal measures for preventive fire protection. Keep away from heat and sources of igni-

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878

Dr.
Schumacher

ULTRASOL® ACTIVE

Version	Revision Date:	SDS Number:	Date of last issue: 06.05.2026
2.1	29.07.2026	100000000406	Date of first issue: 11.02.2026
			Country / Language : DE / EN

tion. Take measures to prevent the build up of electrostatic charge.

Hygiene measures : When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Do not seal containers hermetically. Keep in a well-ventilated place. To maintain product quality, do not store in heat or direct sunlight.

Further information on storage conditions : humid air and water

Storage class (TRGS 510) : 5.1B

Recommended storage temperature : < 25 °C

Further information on storage stability : No decomposition if stored and applied as directed.

7.3 Specific end use(s)

Specific use(s) : No data available

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
citric acid	77-92-9	AGW (Inhalable fraction)	2 mg/m ³	DE TRGS 900
	Peak-limit: excursion factor (category): 2;(I)			
	Further information: When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child			
		MAK (inhalable fraction)	2 mg/m ³	DE DFG MAK
	Further information: Damage to the embryo or foetus is unlikely when the MAK value or the BAT value is observed			

8.2 Exposure controls

Appropriate engineering controls

Provide appropriate exhaust ventilation at machinery and at places where dust can be generated. Dust must be extracted directly at the point of origin.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878

ULTRASOL® ACTIVE

Version	Revision Date:	SDS Number:	Date of last issue: 06.05.2026
2.1	29.07.2026	100000000406	Date of first issue: 11.02.2026
			Country / Language : DE / EN

Individual protection measures, such as personal protective equipment (PPE)

Eye/face protection	:	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water
Hand protection	:	
Material	:	Nitrile rubber
Break through time	:	480 min
Glove thickness	:	0,2 mm
Remarks	:	The suitability for a specific workplace should be discussed with the producers of the protective gloves.
Skin and body protection	:	Long sleeved clothing
Respiratory protection	:	No personal respiratory protective equipment normally re- quired.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	:	solid
Form	:	powder
Colour	:	white
Odour	:	very faint, not significant
Odour Threshold	:	not determined
Melting point/freezing point	:	not determined
Boiling point/boiling range	:	not determined
Upper explosion limit / Upper flammability limit	:	not determined
Lower explosion limit / Lower flammability limit	:	not determined
Flash point	:	not determined
Auto-ignition temperature	:	not determined
Decomposition temperature	:	No data available
Self-Accelerating decomposi- tion temperature (SADT)	:	< 55 °C Packaging size (Mass): 50 kg

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878

ULTRASOL® ACTIVE

Version	Revision Date:	SDS Number:	Date of last issue: 06.05.2026
2.1	29.07.2026	100000000406	Date of first issue: 11.02.2026
			Country / Language : DE / EN

pH	:	8,5
		Concentration: 1 g/l
Viscosity		
Viscosity, kinematic	:	not determined
Flow time	:	not determined
Solubility(ies)		
Water solubility	:	not determined
Partition coefficient: n-octanol/water	:	No data available
Vapour pressure	:	not determined
Density	:	not determined
Bulk density	:	not determined
Relative vapour density	:	not determined
Particle characteristics		
Particle size	:	No data available
Particle Size Distribution	:	No data available
Dustiness	:	No data available
Shape	:	No data available
Crystallinity	:	No data available

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

Stable under normal conditions.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878

ULTRASOL® ACTIVE

Version	Revision Date:	SDS Number:	Date of last issue: 06.05.2026
2.1	29.07.2026	100000000406	Date of first issue: 11.02.2026
			Country / Language : DE / EN

10.3 Possibility of hazardous reactions

Hazardous reactions : No decomposition if stored and applied as directed.

10.4 Conditions to avoid

Conditions to avoid : Do not expose to temperatures above: 55 °C

10.5 Incompatible materials

Materials to avoid : Strong acids and strong bases
Reducing agents
Heavy metals

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

In case of fire hazardous decomposition products may be produced such as:

Carbon oxides

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : Acute toxicity estimate: 1.242 mg/kg
Method: Calculation method

Components:

citric acid:

Acute oral toxicity : LD50 (Mouse, male and female): 5.400 mg/kg
Method: OECD Test Guideline 401
GLP: no

Acute dermal toxicity : LD50 (Rat, male and female): 2.000 mg/kg
Method: OECD Test Guideline 402
GLP: yes

Alcohols, C16-18, ethoxylated:

Acute oral toxicity : LD50 (Rat): 1.260 mg/kg

sodium carbonate:

Acute oral toxicity : LD50 (Rat): 2.800 mg/kg

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878

ULTRASOL® ACTIVE

Version	Revision Date:	SDS Number:	Date of last issue: 06.05.2026
2.1	29.07.2026	100000000406	Date of first issue: 11.02.2026
			Country / Language : DE / EN

Acute dermal toxicity : LD50 Dermal (Rabbit): 2.000 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Serious eye damage/eye irritation

Causes serious eye damage.

Product:

Remarks : May cause irreversible eye damage.

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Aspiration hazard

Not classified based on available information.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878

ULTRASOL® ACTIVE

Version	Revision Date:	SDS Number:	Date of last issue: 06.05.2026
2.1	29.07.2026	100000000406	Date of first issue: 11.02.2026
			Country / Language : DE / EN

Further information

Product:

Remarks : No data available

SECTION 12: Ecological information

12.1 Toxicity

Components:

citric acid:

Toxicity to fish : LC50 (Fish): 440 mg/l
Exposure time: 48 h

Alcohols, C16-18, ethoxylated:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): 108 mg/l
Exposure time: 96 h

sodium carbonate:

Toxicity to fish : LC50 (Fish): 300 mg/l
Exposure time: 96 h

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

Components:

citric acid:

Partition coefficient: n- : log Pow: -1,64
octanol/water

Alcohols, C16-18, ethoxylated:

Partition coefficient: n- : Remarks: No data available
octanol/water

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878

ULTRASOL® ACTIVE

Version	Revision Date:	SDS Number:	Date of last issue: 06.05.2026
2.1	29.07.2026	100000000406	Date of first issue: 11.02.2026
			Country / Language : DE / EN

very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Product:

Additional ecological information : No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	: Dispose of wastes in an approved waste disposal facility.
Contaminated packaging	: Empty containers can be landfilled, when in accordance with the local regulations. Offer rinsed packaging material to local recycling facilities. Packaging that is not properly emptied must be disposed of as the unused product.
Waste Code	: unused product 070608 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from MFSU of greases, lubricants, soaps, detergents, disinfectants and personal care products; other organic solvents, washing liquids and mother liquors; hazardous waste

SECTION 14: Transport information

14.1 UN number or ID number

ADN	: UN 3378
ADR	: UN 3378

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878

ULTRASOL® ACTIVE

Version	Revision Date:	SDS Number:	Date of last issue: 06.05.2026
2.1	29.07.2026	100000000406	Date of first issue: 11.02.2026
			Country / Language : DE / EN

RID	:	UN 3378
IMDG	:	UN 3378
IATA	:	UN 3378

14.2 UN proper shipping name

ADN	:	SODIUM CARBONATE PEROXYHYDRATE
ADR	:	SODIUM CARBONATE PEROXYHYDRATE
RID	:	SODIUM CARBONATE PEROXYHYDRATE
IMDG	:	SODIUM CARBONATE PEROXYHYDRATE
IATA	:	Sodium carbonate peroxyhydrate

14.3 Transport hazard class(es)

	Class	Subsidiary risks
ADN	: 5.1	
ADR	: 5.1	
RID	: 5.1	
IMDG	: 5.1	
IATA	: 5.1	

14.4 Packing group

ADN	
Packing group	: II
Classification Code	: O2
Hazard Identification Number	: 50
Labels	: 5.1
Limited quantity	: 1,00KG / 30,00KG
ADR	
Packing group	: II
Classification Code	: O2
Hazard Identification Number	: 50
Labels	: 5.1
Tunnel restriction code	: (E)
Limited quantity	: 1,00KG / 30,00KG
RID	
Packing group	: II
Classification Code	: O2
Hazard Identification Number	: 50
Labels	: 5.1

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878

ULTRASOL® ACTIVE

Version	Revision Date:	SDS Number:	Date of last issue: 06.05.2026
2.1	29.07.2026	100000000406	Date of first issue: 11.02.2026
			Country / Language : DE / EN

Limited quantity : 1,00KG / 30,00KG

IMDG

Packing group : II
Labels : 5.1
Limited quantity : 1,00KG / 30,00KG
EmS Code : F-A, S-Q

IATA (Cargo)

Packing instruction (cargo aircraft) : 562
Packing instruction (LQ) : Y544
Packing group : II
Labels : Oxidizer

IATA (Passenger)

Packing instruction (passenger aircraft) : 558
Packing instruction (LQ) : Y544
Packing group : II
Labels : Oxidizer

14.5 Environmental hazards

ADN

Environmentally hazardous : no

ADR

Environmentally hazardous : no

RID

Environmentally hazardous : no

IMDG

Marine pollutant : no

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, : Conditions of restriction for the following entries should be considered:

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878

Dr.
Schumacher

ULTRASOL® ACTIVE

Version	Revision Date:	SDS Number:	Date of last issue: 06.05.2026
2.1	29.07.2026	100000000406	Date of first issue: 11.02.2026
			Country / Language : DE / EN

mixtures and articles (Annex XVII)

Number on list 75

If you intend to use this product as
tattoo ink, please contact your ven-
dor.

REACH - Candidate List of Substances of Very High
Concern for Authorisation (Article 59) : Not applicable

Regulation (EU) No 2024/590 on substances that de-
plete the ozone layer : Not applicable

Regulation (EU) 2019/1021 on persistent organic pollu-
tants (recast) : Not applicable

Regulation (EU) No 649/2012 of the European Parlia-
ment and the Council concerning the export and import
of dangerous chemicals : Not applicable

REACH - List of substances subject to authorisation
(Annex XIV) : Not applicable

Seveso III: Directive 2012/18/EU of the Euro- pean Parliament and of the Council on the control of major-accident hazards involving dangerous substances.	P8	OXIDIZING LIQUIDS AND SOLIDS
--	----	---------------------------------

Water hazard class (Germa- : WGK 1 slightly hazardous to water
ny) Classification according to AwSV, Annex 1 (5.2)

Volatile organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial and
livestock rearing emissions (integrated pollution prevention
and control)
Volatile organic compounds (VOC) content: 4 %

Other regulations:

The product is subject to the supply restrictions of the Ordinance on the Prohibition of Chemi-
cals.

Regulation (EU) No 528/2012 of the European Parliament and of the Council of 22 May 2012
concerning the making available on the market and use of biocidal products

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture.

SECTION 16: Other information

Full text of H-Statements

H272	: May intensify fire; oxidizer.
H302	: Harmful if swallowed.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878

Dr.
Schumacher

ULTRASOL® ACTIVE

Version	Revision Date:	SDS Number:	Date of last issue: 06.05.2026
2.1	29.07.2026	100000000406	Date of first issue: 11.02.2026
			Country / Language : DE / EN

H318 : Causes serious eye damage.
H319 : Causes serious eye irritation.
H335 : May cause respiratory irritation.

Full text of other abbreviations

Acute Tox. : Acute toxicity
Eye Dam. : Serious eye damage
Eye Irrit. : Eye irritation
Ox. Sol. : Oxidizing solids
STOT SE : Specific target organ toxicity - single exposure
DE DFG MAK : Germany. MAK BAT Annex IIa
DE TRGS 900 : Germany. TRGS 900 - Occupational exposure limit values.
DE DFG MAK / MAK : MAK value
DE TRGS 900 / AGW : Time Weighted Average

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonised System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organisation; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardisation; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organisation for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878

Dr.
Schumacher

ULTRASOL® ACTIVE

Version	Revision Date:	SDS Number:	Date of last issue: 06.05.2026
2.1	29.07.2026	100000000406	Date of first issue: 11.02.2026
			Country / Language : DE / EN

Further information

Classification of the mixture:

Ox. Sol. 2	H272
Eye Dam. 1	H318

Classification procedure:

On basis of test data.
Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

DE / EN