

HAND AND SKIN / DECONTAMINATION

DECONTAMAN PRE WASH



PREVENT

ANTIMICROBIAL WASHING LOTION

1 / 4

Bactericidal, yeasticidal, active against enveloped viruses

Short contact time: 30 seconds

For presurgical, antimicrobial patient washing and decontamination

Broad efficacy against bacteria especially multi-resistant pathogens



HAND AND SKIN / DECONTAMINATION

DECONTAMAN PRE WASH



PREVENT

PRODUCT DESCRIPTION

2 / 4

DECONTAMAN PRE WASH is an antimicrobial wash lotion for cleaning and disinfecting the skin, hands and hair. **DECONTAMAN PRE WASH** is suitable for preoperative body washing and hygienic hand washing in accordance with the VAH guideline and EN 1499 as well as for whole-body washing in case of MRSA contamination or contamination with other multidrug-resistant Gram-negative bacteria (MRGNs) such as *Acinetobacter baumannii* or vancomycin-resistant enterococci (VRE). Due to its skin-friendly pH value and moisturizing properties,

DECONTAMAN PRE WASH is as well tolerated by the skin as a gentle washing lotion. The use of **DECONTAMAN PRE WASH** can effectively interrupt the hand-to-hand chain of infection in medical and nursing care as well as transmission onto food during food preparation. **DECONTAMAN PRE WASH** can be used for cleaning the skin of presurgical patients and those who are confined to bed for long periods of time. The product is free from dyes, perfume and phenols.

APPLICATIONS AND NOTES

Range of application

For hygienic handwashing in accordance with VAH/EN 1499. For preoperative and antimicrobial body washing in case of colonization with MRSA or other multidrug-resistant pathogens such as VRE, ESBLs, and other MRGNs. Particularly well suited for use prior to hospitalization as well. Suitable for use in food handling and processing.

Application

Hygienic handwashing in accordance with VAH/EN 1499: Moisten hands with 10 ml water, apply 3 ml DECONTAMAN PRE WASH, and wash for 30 seconds. Then thoroughly rinse with clear water. Whole-body washing in case of MRSA contamination: Apply DECONTAMAN PRE WASH directly onto moistened skin or onto a moist sponge or washcloth. Thoroughly clean the skin. After at least 30 seconds of contact time, thoroughly rinse the treated areas with clear water.

Application notes

Do not use in case of known intolerance to chlorhexidine or on injured skin. Strictly avoid penetration of the solution into the inner ear and the eyes.

Product status

Biocidal product (PT1)
BAuA Reg. No. N-79836

Composition

100 g solution contain: 4 g D-gluconic acid, compound with N,N-bis(4-chlorophenyl)-3,12-diimino-2,4,11,13-tetraazatetradecanediamidine(2:1) (CHDG); 1.5 g 2-phenoxyethanol.

Precautionary and hazard statements

Causes serious eye damage. Very toxic to aquatic life with long lasting effects. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. Avoid release to the environment. Collect spillage. Dispose of contents/container to approved disposal company or local collection.

For professional use only.


Use biocidal products safely.

Always read label and product information before use.

DECONTAMAN PRE WASH



Full body washing sequence



1 Face

Cleanse face completely. Eyes must stay closed during the entire process. Use wipes carefully in the area around the eyes and avoid strictly letting liquid run into eyes. When cleansing the ears be careful to keep liquid strictly from running into ears.

2 Chest/stomach

Remove clothing from upper body and wash torso from the neck down to the belly button. Keep lower body warm.

3 4 Arms

Starting at the fingertips wash hands, arms and especially the armpits.

5 Back

Sit up or turn patient/resident to one side. From the outside with an inward motion wash neck and back. Dress patient/resident and turn them on their back.

6 7 Legs

Undress the lower body. Wash legs in an upward motion up to the thighs in the direction of the heart.

8 Feet

Wash feet starting with the toes. Due to hygienic reasons, wash genital area and buttocks last.

9 Genital area

Clean the external intimate area.

10 Buttocks

Turn patient/resident to one side and wash buttocks and external anal region

! Important:

When performing decontamination, towels should be placed under the patient so that the unwashed side of the body does not come into contact with clean linens. Avoid contact with mucous membranes!

HAND AND SKIN / DECONTAMINATION

DECONTAMAN PRE WASH



PREVENT

SPECTRUM OF EFFICACY AND CONTACT TIMES


4 / 4

SPECTRUM OF EFFICACY AND CONTACT TIMES			15 s	30 s
Instructions for use				
application recommendation for hygienic handwash ¹	EN 1499/VAH			•
activity against enveloped viruses	EN 14476	dirty conditions		•
Additional test results in accordance with EN				
bactericidal	EN 13727	dirty conditions	•	
yeastcidal (C. albicans)	EN 13624	dirty conditions		•
¹ – including phase 2 step 1 and phase 2 step 2 tests (quantitative suspension tests and quantitative carrier tests)				

PURCHASING INFORMATION

Product	Single unit	Delivery unit	Content	Art. no.
DECONTAMAN PRE WASH	Bottle	20	500 ml	00-531-005E
	Bottle	12	1 L	00-531-010E
	Canister	3	5 L	00-531-050E

National specifications may differ. For further information, please contact our subsidiary or your local dealer.



CERTIFICATIONS



For an overview of our current certifications, scan the QR code to visit:
<https://www.schumacher-online.com/en/cert>

Dr. Schumacher is certified according to DIN EN 13485, DIN EN ISO 9001, DIN EN ISO 14001, BS OHSAS 18001, has a validated environment management system according to EMAS and is a member of IHO, VCI, BAH, DGSV and of the DGKH.