

HAND AND SKIN / SKIN DISINFECTION

ASEPTODERM®
2 % CHG



PREVENT

ALCOHOLIC SKIN DESINFECTANT

1 / 4

Ready-to-use colourless skin disinfection
Based on 70 % alcohol and 2 % chlorhexidine
Perfume free



HAND AND SKIN / SKIN DISINFECTION

ASEPTODERM®
2 % CHG



PREVENT

PRODUCT DESCRIPTION

2 / 4

Ready to use alcoholic skin disinfectant. **ASEPTODERM 2 % CHG** can be used for skin disinfection prior to injections, incisions, punctures, blood withdrawals, catheter insertions and minor surgical interventions. **ASEPTODERM 2 % CHG** is gentle to the skin. Aldehyde-, phenol- and QAC-free.

APPLICATIONS AND NOTES

Range of application

Skin disinfection.

Application

Apply a sufficient amount of ASEPTODERM 2 % CHG on the skin and keep it moist during the whole contact time.

Application notes

Do not use in case of known intolerance to chlorhexidine or on injured skin. Strictly avoid contact of the eyes with the solution (corneal damage possible).

Composition

100 g contain: 63,1 g 2-Propanol (70% Isopropanol v/v), 2,26 g Chlorhexidine Digluconate (CHG).

Product status

Biocidal product (PT1)

Precautionary and hazard statements

Highly flammable liquid and vapour. Causes serious eye irritation. May cause drowsiness or dizziness. Harmful to aquatic life with long lasting effects. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container tightly closed. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. Dispose of contents/container to approved disposal company or local collection.

For professional use only.

Use disinfectants safely.

Always read label and product information before use.

HAND AND SKIN / SKIN DISINFECTION

ASEPTODERM®
2 % CHG



PREVENT

SPECTRUM OF EFFICACY AND CONTACT TIMES

3 / 4

SPECTRUM OF EFFICACY AND CONTACT TIMES			15 s	30 s	1 min	3 min
Skin antiseptics with 3-hour sustained effect ¹	EN 12791					•
tuberculocidal (M. terrae)	EN 14348	clean conditions		•		
mycobactericidal (M. avium and M. terrae)	EN 14348	clean conditions			•	
active against enveloped viruses	EN 14476	incl. HBV, HIV, HCV	•			
Additional test results						
bactericidal	EN 13727	clean conditions			•	
	EN 1276	clean conditions	•			
yeastocidal (Candida albicans)	EN 13624	clean conditions			•	
	EN 1650	clean conditions	•			

¹ – including phase 2 step 1 and phase 2 step 2 tests (quantitative suspension tests and quantitative carrier tests)

HAND AND SKIN / SKIN DISINFECTION

ASEPTODERM®
2 % CHG



PREVENT

PURCHASING INFORMATION

4 / 4

Product	Single unit	Delivery unit	Content	REF
ASEPTODERM® 2 % CHG	Spray bottle	20	250 ml	00-520-0025E
	bottle	12	1 L	00-520-010E

National information may differ. For further information, please contact our subsidiary or your local dealer.

CERTIFICATIONS



For an overview of our current certifications, scan the QR code to visit:

<https://www.schumacher-online.com/en/cert>

Dr. Schumacher is certified according to DIN EN 13485, DIN EN ISO 9001, DIN EN ISO 14001, BS OHSAS 18001,
has a validated environment management system according to EMAS and is a member of IHO, VCI, BAH, DGSV and of the DGKH.