

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878

THERMOSHIELD® C

Version	Revision Date:	SDS Number:	Date of last issue: 04.05.2026
1.3	21.09.2026	100000000077	Date of first issue: 01.10.2025
			Country / Language : DE / EN

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name : THERMOSHIELD® C

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-
stance/Mixture : Neutralizer for automated processing of medical devices in
cleaning and disinfection devices

1.3 Details of the supplier of the safety data sheet

Company : Dr. Schumacher GmbH
Am Roggenfeld 3
34323 Malsfeld

Telephone : +49 566494960

Telefax : +49 56648444

E-mail address of person
responsible for the SDS : sds.sap-ehs@schumacher-online.com

1.4 Emergency telephone number

INTERNATIONAL: +49 - (0) 6132 - 84463, GBK GmbH (24h - 7d/w - 365d/a)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Corrosive to metals, Category 1	H290: May be corrosive to metals.
Skin corrosion, Category 1	H314: Causes severe skin burns and eye damage.
Serious eye damage, Category 1	H318: Causes serious eye damage.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878

Dr.
Schumacher

THERMOSHIELD® C

Version	Revision Date:	SDS Number:	Date of last issue: 04.05.2026
1.3	21.09.2026	100000000077	Date of first issue: 01.10.2025
			Country / Language : DE / EN

Hazard pictograms :



Signal word : Danger

Hazard statements : H290 May be corrosive to metals.
H314 Causes severe skin burns and eye damage.

Precautionary statements : **Prevention:**
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:
P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.
P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 Immediately call a POISON CENTER/ doctor.
P390 Absorb spillage to prevent material damage.

Storage:
P406 Store in a corrosion resistant container with a resistant inner liner.

Disposal:
P501 Dispose of contents/ container to an approved waste disposal plant.

Hazardous components which must be listed on the label:

citric acid
formic acid

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878

THERMOSHIELD® C

Version	Revision Date:	SDS Number:	Date of last issue: 04.05.2026
1.3	21.09.2026	100000000077	Date of first issue: 01.10.2025
			Country / Language : DE / EN

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature : Aqueous solution

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
citric acid	77-92-9 201-069-1 607-750-00-3 01-2119457026-42	Eye Irrit. 2; H319 STOT SE 3; H335 (Respiratory Tract)	>= 30 - < 50
formic acid	64-18-6 200-579-1 607-001-00-0 01-2119491174-37	Skin Corr. 1A; H314 Flam. Liq. 3; H226 Met. Corr. 1; H290 Acute Tox. 4; H302 Acute Tox. 3; H331 Eye Dam. 1; H318 EUH071 specific concentration limit Skin Corr. 1A; H314 >= 90 % Skin Corr. 1B; H314 10 - < 90 % Skin Irrit. 2; H315 2 - < 10 % Eye Irrit. 2; H319 2 - < 10 % Flam. Liq. 3; H226 >= 85 % Eye Dam. 1; H318 >= 10 % Acute toxicity esti- mate	>= 0,1 - < 1

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878

Dr.
Schumacher

THERMOSHIELD® C

Version	Revision Date:	SDS Number:	Date of last issue: 04.05.2026
1.3	21.09.2026	100000000077	Date of first issue: 01.10.2025
			Country / Language : DE / EN

		Acute oral toxicity: 500 mg/kg Acute inhalation tox- icity (vapour): 7,4 mg/l	
--	--	---	--

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

- | | |
|-------------------------|---|
| General advice | : Take off immediately all contaminated clothing.
If you feel unwell, seek medical advice (show the label where possible). |
| If inhaled | : Move to fresh air in case of accidental inhalation of fumes from overheating or combustion.
If symptoms persist, call a physician. |
| In case of skin contact | : In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.
Immediate medical treatment is necessary as untreated wounds from corrosion of the skin heal slowly and with difficulty. |
| In case of eye contact | : Small amounts splashed into eyes can cause irreversible tissue damage and blindness.
In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
If eye irritation persists, consult a specialist. |
| If swallowed | : If swallowed, DO NOT induce vomiting unless directed to do so by medical personnel.
Rinse mouth.
Obtain medical attention. |

4.2 Most important symptoms and effects, both acute and delayed

- | | |
|-------|--|
| Risks | : Causes severe skin burns and eye damage. |
|-------|--|

4.3 Indication of any immediate medical attention and special treatment needed

- | | |
|-----------|--------------------------|
| Treatment | : Treat symptomatically. |
|-----------|--------------------------|

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878

THERMOSHIELD® C

Version	Revision Date:	SDS Number:	Date of last issue: 04.05.2026
1.3	21.09.2026	100000000077	Date of first issue: 01.10.2025
			Country / Language : DE / EN

SECTION 5: Firefighting measures

5.1 Extinguishing media

- Suitable extinguishing media : The product itself does not burn.
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Foam
Carbon dioxide (CO₂)
Dry chemical
Water spray jet
- Unsuitable extinguishing media : High volume water jet

5.2 Special hazards arising from the substance or mixture

- Specific hazards during fire-fighting : Do not allow run-off from fire fighting to enter drains or water courses.
- Hazardous combustion products : Carbon oxides

5.3 Advice for firefighters

- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.
Use personal protective equipment.
- Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

- Personal precautions : Use personal protective equipment.
Ensure adequate ventilation.

6.2 Environmental precautions

- Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878

Dr.
Schumacher

THERMOSHIELD® C

Version	Revision Date:	SDS Number:	Date of last issue: 04.05.2026
1.3	21.09.2026	100000000077	Date of first issue: 01.10.2025
			Country / Language : DE / EN

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).
Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Avoid contact with skin and eyes.
For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
To avoid spills during handling keep bottle on a metal tray.
Dispose of rinse water in accordance with local and national regulations.

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Hygiene measures : When using do not eat, drink or smoke. Wash hands before breaks and at the end of workday.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Keep container tightly closed in a dry and well-ventilated place. Observe label precautions. Electrical installations / working materials must comply with the technological safety standards.

Storage class (TRGS 510) : 8B

Further information on storage stability : No decomposition if stored and applied as directed.

7.3 Specific end use(s)

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
citric acid	77-92-9	AGW (Inhalable fraction)	2 mg/m ³	DE TRGS 900

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878

Dr.
Schumacher

THERMOSHIELD® C

Version	Revision Date:	SDS Number:	Date of last issue: 04.05.2026
1.3	21.09.2026	100000000077	Date of first issue: 01.10.2025
			Country / Language : DE / EN

	Peak-limit: excursion factor (category): 2;(I)			
	Further information: When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child			
		MAK (inhalable fraction)	2 mg/m3	DE DFG MAK
	Further information: Damage to the embryo or foetus is unlikely when the MAK value or the BAT value is observed			
formic acid	64-18-6	TWA	5 ppm 9 mg/m3	2006/15/EC
	Further information: Indicative			
		AGW	5 ppm 9,5 mg/m3	DE TRGS 900
	Peak-limit: excursion factor (category): 2;(I)			
	Further information: When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child			
		MAK	5 ppm 9,5 mg/m3	DE DFG MAK
	Peak-limit: excursion factor (category): 2; I			
	Further information: Damage to the embryo or foetus is unlikely when the MAK value or the BAT value is observed			

8.2 Exposure controls

Individual protection measures, such as personal protective equipment (PPE)

Eye/face protection : Safety glasses with side-shields conforming to EN166
Wear face-shield and protective suit for abnormal processing problems.

Hand protection

Material : Nitrile rubber
Break through time : 8 h
Glove thickness : 0,35 mm
Guideline : Equipment should conform to EN 374

Material : butyl-rubber
Break through time : 8 h
Glove thickness : 0,5 mm
Guideline : Equipment should conform to EN 374

Material : Fluorinated rubber
Break through time : 8 h
Glove thickness : 0,4 mm
Guideline : Equipment should conform to EN 374

Material : PVC
Break through time : 8 h
Glove thickness : 0,5 mm
Guideline : Equipment should conform to EN 374

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878

THERMOSHIELD® C

Version	Revision Date:	SDS Number:	Date of last issue: 04.05.2026
1.3	21.09.2026	100000000077	Date of first issue: 01.10.2025
			Country / Language : DE / EN

Material	:	Natural Rubber
Break through time	:	8 h
Glove thickness	:	0,5 mm
Guideline	:	Equipment should conform to EN 374
Remarks	:	The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Skin and body protection	:	Long sleeved clothing
Respiratory protection	:	No personal respiratory protective equipment normally required.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	:	liquid
Form	:	liquid
Colour	:	colourless
Odour	:	stinging
Melting point/ range	:	not determined
Boiling point/boiling range	:	not determined
Upper explosion limit / Upper flammability limit	:	not determined
Lower explosion limit / Lower flammability limit	:	not determined
Flash point	:	not determined
Auto-ignition temperature	:	not determined
Decomposition temperature	:	No data available
pH	:	ca. 1
Viscosity	:	
Viscosity, kinematic	:	not determined

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878

THERMOSHIELD® C

Version	Revision Date:	SDS Number:	Date of last issue: 04.05.2026
1.3	21.09.2026	100000000077	Date of first issue: 01.10.2025
			Country / Language : DE / EN

Solubility(ies)
Water solubility : (20 °C)
completely miscible

Partition coefficient: n-
octanol/water : No data available

Vapour pressure : not determined

Density : 1,166 g/cm³ (20 °C)

Relative vapour density : not determined

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : No decomposition if stored and applied as directed.

10.4 Conditions to avoid

Conditions to avoid : No data available

10.5 Incompatible materials

Materials to avoid : Bases
Oxidizing agents
Metals

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878

Dr.
Schumacher

THERMOSHIELD® C

Version	Revision Date:	SDS Number:	Date of last issue: 04.05.2026
1.3	21.09.2026	100000000077	Date of first issue: 01.10.2025
			Country / Language : DE / EN

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified based on available information.

Product:

Acute inhalation toxicity : Acute toxicity estimate: > 20 mg/l
Exposure time: 4 h
Test atmosphere: vapour
Method: Calculation method

Components:

citric acid:

Acute oral toxicity : LD50 (Mouse, male and female): 5.400 mg/kg
Method: OECD Test Guideline 401
GLP: no

Acute dermal toxicity : LD50 (Rat, male and female): 2.000 mg/kg
Method: OECD Test Guideline 402
GLP: yes

formic acid:

Acute oral toxicity : Acute toxicity estimate: 500 mg/kg
Method: Acute toxicity estimate according to Regulation (EC)
No. 1272/2008

LD50 (Rat): 730 mg/kg

Acute inhalation toxicity : Acute toxicity estimate: 7,4 mg/l
Test atmosphere: vapour
Method: Acute toxicity estimate according to Regulation (EC)
No. 1272/2008

LC50 (Rat): 7,85 mg/l

Exposure time: 4 h

Test atmosphere: vapour

Skin corrosion/irritation

Causes severe skin burns and eye damage.

Product:

Remarks : Extremely corrosive and destructive to tissue.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878

THERMOSHIELD® C

Version	Revision Date:	SDS Number:	Date of last issue: 04.05.2026
1.3	21.09.2026	100000000077	Date of first issue: 01.10.2025
			Country / Language : DE / EN

Serious eye damage/eye irritation

Causes severe skin burns and eye damage.

Product:

Remarks : May cause irreversible eye damage.

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Aspiration hazard

Not classified based on available information.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Further information

Product:

Remarks : No data available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878

THERMOSHIELD® C

Version	Revision Date:	SDS Number:	Date of last issue: 04.05.2026
1.3	21.09.2026	100000000077	Date of first issue: 01.10.2025
			Country / Language : DE / EN

SECTION 12: Ecological information

12.1 Toxicity

Components:

citric acid:

Toxicity to fish : LC50 (Fish): 440 mg/l
Exposure time: 48 h

formic acid:

Toxicity to fish : LC50 (Fish): 130 mg/l
Exposure time: 96 h

Toxicity to algae/aquatic plants : ErC50 (algae): 1.240 mg/l
Exposure time: 72 h

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

Components:

citric acid:

Partition coefficient: n-octanol/water : log Pow: -1,64

formic acid:

Partition coefficient: n-octanol/water : log Pow: -2,1 (23,00 °C)
pH: 7

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties

Product:

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878

THERMOSHIELD® C

Version	Revision Date:	SDS Number:	Date of last issue: 04.05.2026
1.3	21.09.2026	100000000077	Date of first issue: 01.10.2025
			Country / Language : DE / EN

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Product:

Additional ecological information : No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	: Do not dispose of waste into sewer. Do not contaminate ponds, waterways or ditches with chemical or used container. Send to a licensed waste management company.
Contaminated packaging	: Empty remaining contents. Dispose of as unused product. Do not re-use empty containers.
Waste Code	: used product 200129 MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL AND INSTITUTIONAL WASTES) INCLUDING SEPARATELY COLLECTED FRACTIONS; separately collected fractions (except 15 01); detergents containing hazardous substances; hazardous waste uncleaned packagings 150102 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); plastic packaging

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878

THERMOSHIELD® C

Version	Revision Date:	SDS Number:	Date of last issue: 04.05.2026
1.3	21.09.2026	100000000077	Date of first issue: 01.10.2025
			Country / Language : DE / EN

SECTION 14: Transport information

14.1 UN number or ID number

ADN	:	UN 3265
ADR	:	UN 3265
RID	:	UN 3265
IMDG	:	UN 3265
IATA	:	UN 3265

14.2 UN proper shipping name

ADN	:	CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (formic acid, citric acid)
ADR	:	CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (formic acid, citric acid)
RID	:	CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (formic acid, citric acid)
IMDG	:	CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (formic acid, citric acid)
IATA	:	Corrosive liquid, acidic, organic, n.o.s. (formic acid, citric acid)

14.3 Transport hazard class(es)

	Class	Subsidiary risks
ADN	:	8
ADR	:	8
RID	:	8
IMDG	:	8
IATA	:	8

14.4 Packing group

ADN	:	
Packing group	:	III
Classification Code	:	C3
Hazard Identification Number	:	80
Labels	:	8
Limited quantity	:	5,00L / 30,00KG
Special Provisions	:	274

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878

THERMOSHIELD® C

Version	Revision Date:	SDS Number:	Date of last issue: 04.05.2026
1.3	21.09.2026	100000000077	Date of first issue: 01.10.2025
			Country / Language : DE / EN

Remarks :

ADR

Packing group : III
Classification Code : C3
Hazard Identification Number : 80
Labels : 8
Tunnel restriction code : (E)
Limited quantity : 5,00L / 30,00KG
Special Provisions : 274
Remarks :

RID

Packing group : III
Classification Code : C3
Hazard Identification Number : 80
Labels : 8
Limited quantity : 5,00L / 30,00KG
Special Provisions : 274
Remarks :

IMDG

Packing group : III
Labels : 8
Limited quantity : 5,00L / 30,00KG
EmS Code : F-A, S-B
Special Provisions : 223, 274
Remarks :

IATA (Cargo)

Packing instruction (cargo aircraft) : 856
Packing instruction (LQ) : Y841
Packing group : III
Labels : Corrosives
Special Provisions : A3, A803
Remarks :

IATA (Passenger)

Packing instruction (passenger aircraft) : 852
Packing instruction (LQ) : Y841
Packing group : III
Labels : Corrosives
Special Provisions : A3, A803
Remarks :

14.5 Environmental hazards

ADN

Environmentally hazardous : no

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878

Dr.
Schumacher

THERMOSHIELD® C

Version	Revision Date:	SDS Number:	Date of last issue: 04.05.2026
1.3	21.09.2026	100000000077	Date of first issue: 01.10.2025
			Country / Language : DE / EN

ADR

Environmentally hazardous : no

RID

Environmentally hazardous : no

IMDG

Marine pollutant : no

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) : Conditions of restriction for the following entries should be considered:
Number on list 3

Number on list 75
If you intend to use this product as tattoo ink, please contact your vendor.

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). : Not applicable

Regulation (EU) No 2024/590 on substances that deplete the ozone layer : Not applicable

Regulation (EU) 2019/1021 on persistent organic pollutants (recast) : Not applicable

Regulation (EU) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals : Not applicable

REACH - List of substances subject to authorisation (Annex XIV) : Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. : Not applicable

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878

THERMOSHIELD® C

Version	Revision Date:	SDS Number:	Date of last issue: 04.05.2026
1.3	21.09.2026	100000000077	Date of first issue: 01.10.2025
			Country / Language : DE / EN

Water hazard class (Germany) : WGK 1 slightly hazardous to water
Classification according to AwSV, Annex 1 (5.2)

TA Luft List (Germany) : 5.2.5: Organic Substances:
Class 1: 0,43 % 64-18-6

Volatile organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial and
livestock rearing emissions (integrated pollution prevention
and control)
Volatile organic compounds (VOC) content: 0,43 %

15.2 Chemical safety assessment

SECTION 16: Other information

Full text of H-Statements

H226	: Flammable liquid and vapour.
H290	: May be corrosive to metals.
H302	: Harmful if swallowed.
H314	: Causes severe skin burns and eye damage.
H318	: Causes serious eye damage.
H319	: Causes serious eye irritation.
H331	: Toxic if inhaled.
H335	: May cause respiratory irritation.
EUH071	: Corrosive to the respiratory tract.
H226	: Flammable liquid and vapour.
H314	: Causes severe skin burns and eye damage.
H315	: Causes skin irritation.
H318	: Causes serious eye damage.
H319	: Causes serious eye irritation.

Full text of other abbreviations

Acute Tox.	: Acute toxicity
Eye Dam.	: Serious eye damage
Eye Irrit.	: Eye irritation
Flam. Liq.	: Flammable liquids
Met. Corr.	: Corrosive to metals
Skin Corr.	: Skin corrosion
STOT SE	: Specific target organ toxicity - single exposure
Skin Corr.	: Skin corrosion
Skin Irrit.	: Skin irritation
Eye Irrit.	: Eye irritation
Flam. Liq.	: Flammable liquids

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878

Dr.
Schumacher

THERMOSHIELD® C

Version	Revision Date:	SDS Number:	Date of last issue: 04.05.2026
1.3	21.09.2026	100000000077	Date of first issue: 01.10.2025
			Country / Language : DE / EN

Eye Dam.	:	Serious eye damage
2006/15/EC	:	Europe. Indicative occupational exposure limit values
DE DFG MAK	:	Germany. MAK BAT Annex IIa
DE TRGS 900	:	Germany. TRGS 900 - Occupational exposure limit values.
2006/15/EC / TWA	:	Limit Value - eight hours
DE DFG MAK / MAK	:	MAK value
DE TRGS 900 / AGW	:	Time Weighted Average

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonised System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organisation; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardisation; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organisation for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Classification of the mixture:

Met. Corr. 1	H290
Skin Corr. 1	H314
Eye Dam. 1	H318

Classification procedure:

Based on product data or assessment
Based on product data or assessment
Based on product data or assessment

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878

Dr.
Schumacher

THERMOSHIELD® C

Version	Revision Date:	SDS Number:	Date of last issue: 04.05.2026
1.3	21.09.2026	100000000077	Date of first issue: 01.10.2025
			Country / Language : DE / EN

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

DE / EN